

Oxy K 30 HW/HS Oxygen Self Rescuer



ST-3478-2003

Oxy K 30 HW/HS should be carried when toxic gases can be present or the atmosphere can be oxygen deficient.

Oxy K 30 HW/HS is an oxygen self-rescuer, independent of the ambient air, which uses chemically-bound oxygen.

A quick starter cartridge provides an instant oxygen supply on donning.

Special features of the hood version:
The hood provides head, face and eye protection against smoke and heat. It allows for verbal communication, an important component for leaving dangerous situation. The unit is suitable for people wearing glasses and is easy to don and breath.

Oxy K 30 HW/HS is suitable for use in transportation (railway, hazardous material), shipping, sewage, tunnelling, drilling platforms and petrochemical

Oxy K 30 HW/HS is up to 10 years free of maintenance and service.

The hood version is available in the two versions:

The wall mounted version (HW) ensures a quick operational readiness. Since disassembly from the wall and opening of the unit will take place in one step. It can be positioned ready for use on walls along escape routes.

The shoulder strap version (HS) can be installed in vehicles or carried by potential users.

Our service to you: We will dispose damaged, opened, used or expired oxygen self-rescuers for you.

Oxy K 30 HW/HS – an additional quality product from Dräger Safety.



ST-3475-2003

Oxy K 30 HS
Shoulder strap version



ST-3474-2003

Oxy K 30 HW
Wall mounted version

TECHNICAL DATA

Duration according to DIN 58639 (breathing rate 35 L/min)	30 min	
Duration (breathing rate 10 L/min)	120 min	
Inhalation- / exhalation resistance (breathing rate 35 L/min)	5,0 hPa	
Inhalation temperature	max. 55 °C	
Service indicator	readiness for use immediately visible from the outside	
Housing	electrically conductive	
Temperature classification	T4	
Approval	according to DIN 58639; SOLAS, MED	
Weight	HW	HS
- unopened	approx. 3,5 kg	approx. 2,8 kg
- in use	approx. 2,5 kg	approx. 2,2 kg
Dimensions	227 x 265 x 118 mm	210 x 260 x 105 mm

ORDER LIST

Oxy K 30 HW	(wall mounted)	6304600
Oxy K 30 HWT	(training unit, wall mounted)	6304601
Oxy K 30 HS	(shoulder strap)	6304700
Oxy K 30 HST	(training unit, shoulder strap)	6304701

┌

┐

└

┘



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)1245 600560

Fax: +44 (0)1245 600030

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.