

Electrothermal STEM Omni Mantle

Base Unit

The heart of the Electrothermal Omni- Reacto Station is its modular Design, one base unit (on the right) can accommodate sample volumes ranging from 2 to 1000ml. All heating blocks, glassware and reflux heads are interchangeable and the footprint is so compact that you can place the unit into any fume hood, or onto any bench space.



Stem Omni Mantle Series

- The Omni Mantle Series will allow 1 reactor with 250-1000ml working vessels



Product Specifications

Model	Omni Mantle 250	Omni Mantle 500	Omni Mantle 1000
Catalogue Number	OMCA0250	OMCA0500	OMCA1000
Voltage	230 & 115*	230 & 115*	230 & 115*
Number of Positions	1	1	1
Working Volume	250ml	500ml	1000ml
Controlled Block Temperature Range	Ambient to 220 C	Ambient to 220 C	Ambient to 220 C
Stir Speed Range rpm	250-800	250-800	250-800
Dimensions WxDxH mm (in)	300x300x650 (11.81x11.81x25.59)	300x300x650 (11.81x11.81x25.59)	300x300x650 (11.81x11.81x25.59)
Shipping Weight	4.8kg (10.58lb)	4.8kg (10.58lb)	4.8kg (10.58lb)

*For 115v just add X1 to the end of the catalogue number



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)330 088 0560

Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.