

Genlab

Laboratory Division


Drying/Warming Cabinets

General Purpose Heated Water Baths



9 litre Bath
WBH9

14 litre Bath
WBH14



1000 litre Cabinet
DC1000

125 litre Cabinet
DC125

FEATURES

- 4 sizes: 6 to 22 litres
- Temperature range: 25 to 100°C ± 1°C
- Easy clean powder coated body
- Thermostat control
- Full two year warranty
- C.E. compliant

OPTIONS

- Gabled and flat lids

FEATURES

- 4 sizes: 125 to 1000 litres
- Maximum temperature 50°C above ambient
- Easy clean powder coated body
- Thermostat control for set temperature
- Toughened glass doors
- Fan circulation on 500 & 1000 litres
- Full two year warranty
- C.E. compliant



Certificate No.5531

DRYING/WARMING CABINETS

Design

The exterior is constructed from sheet steel finished in an easy clean powder coated paint. Fitted with adjustable shelf runners, removable plated wire grid shelves and ventilation outlets.

The 125 and 250 litre models have sliding, toughened glass doors.
The 500 and 1000 litre models have hinged, toughened glass doors.

Heating

Heated by Incoloy sheathed elements positioned in the base of the unit.
The 500 and 1000 litre models have fan assistance as standard.

Controls

Control is via a direct reading thermostat with calibrated scale and tamper-proof lock.
The units also have a mains switch with indicator and heat indicator.

Specifications

Genlab reference number	Capacity (litres)	External dimensions (H x W x D cms)	No. of shelves	Weight kg net
DC 125	125	60x75x36	3	40
DC 250	250	66x100x40	3	55
DC 500	500	168x60x65	3	75
DC 1000	1000	168x118x65	3	130

GENERAL PURPOSE HEATED WATER BATHS

Design

The exterior is constructed from sheet steel finished in an easy clean powder coated paint. The interior is constructed of stainless steel with a perforated tray covering the heating element.

Heating

Heated by Incoloy sheathed elements positioned in the base of the unit.

Controls

Control is via an easy set thermostat with indicator and on/off switch.

Specifications

Genlab reference number	Capacity (litres)	External dimensions (W x L x D cms)	Internal dimensions (W x L x D cms)	Weight kg net
WBH6	6	33x21x26	30x15x15	6
WBH9	9	33x30x26	30x24x15	7
WBH14	14	33x39x26	30x33x15	9
WBH22	22	33x56x26	30x50x15	11

Accessories

Lids for heated water baths

Flat C3901A C3902A C3903A C3904A

Gabled C3901 C3902 C3903 C3904



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)1245 600560

Fax: +44 (0)1245 600030

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.