Universal baths - SUB series

Universal water baths, high quality and excellent temperature stability for a wide range of routine applications.

- Ambient + 5°C to 99°C operation
- Stability ± 0.2°C
- Wide range of options to suit different applications
- Robust durable design, with electronic control



Wide range of tanks sizes and options to suit various requirements

Stainless steel tank in a robust outer case – tough and durable in demanding environments

2-digit LED display for clear temperature indication

Easily accessible on/off switch

Independent over-temperature cut-out – protects users and the workplace if bath is accidentally run without liquid



Choice of lids to prevent evaporation of liquid and avoid contamination of samples

Digital control system – provides reproducibility of set temperature and accurate repetition of sensitive procedures

Over temperature cut-out – protects samples in the event of primary control system failure

Heater mat and temperature sensor mounted under the tank – optimises temperature uniformity and workspace; easy to clean and keep clean

options a	and accessories			
	SUB6 6 L	SUB14 14 L	SUB28 28 L	SUB36 36 L
0	Gabled lids*			
	LU6	LU14	LU28	LU36
	Direct condensation away from immer	sed vessels, avoid contamination and re	educe evaporation	
200	Flat lids*	,		
1	LF6 (2 ring sets)	LF14 (4 ring sets)	LF28 (6 rings sets)	LF36 (8 ring sets)
	With ring sets of variable hole diameter	r to accommodate tall vessels whilst re-	ducing evaporation	
A STATE OF	Polypropylene spheres* (packs per bath)			
	1 x PS20	1 x PS20	2 x PS20	3 x PS20
	Useful alternative to a lid, minimises evaporation and heat loss whilst allowing easy access to vessels in the bath; particularly useful for tall vessels			
	Raised shelves			
	-	RS14H - covers half the area of SUB14	RS28H - covers half the area of SUB28	RS36H - covers half the area of SUB3
	Provide two alternative depths to accommodate different sizes/shapes of vessels simultaneously. More than one shelf can be used to achieve a range of depths			
144	Racks (no. per bath)			
	1 x J2	2 x J2	4 × J2	6 x J2
	Choice of 8 variants to accommodate different tube diameters and microtubes (see page 9.6)			
BEE	Choice of a variants to accommodate		· · · · · · · · · · · · · · · · · · ·	
PINDIN	Base trays	and one tube diameters and misrotube		



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.

UK Office Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)330 088 0560 Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.