



F1SF Helmet

[The Best of your F1 Helmet for Structural Fire-fighting]

- Based on the original F1 design, the F1SF helmet meets the most demanding head protection requirements of the fire-fighting market.
- The F1SF features built-in interfaces on both sides to become a flexible head protection platform for different types of accessories.
- The KitFix mask adapters can be easily adjusted for perfect mask attachment and optimal wearing comfort.
- A new 3-points fireproof, adjustable chinstrap provides increased comfort and stability.
- The F1SF complies to the EN443 standard and has been engineered to meet the upcoming european specifications.

F1SF Helmet

[Structural Fire-Fighting]

Application

Very high performance helmet for firefighter head protection against heat, shocks, penetration, smokes, aggressive liquids and chemicals projection during fires in buildings and other structures.

Performances

EN443 : 1997 compliance
14 kW/m², -20/-30°C, E2/E3.

Composition

- **Shell:** Injected thermoplastic material with attachment points for face shield, eye screen, customisable front plate.
- **Padding:** Rigid padding for superior shock absorption and thermal protection, soft foam padding for comfort and stability.
- **Inner elements:** net vented cradle, adjustable in depth. 2 versions :
 - Standard net cradle with adjustable headband
 - Ratchet patented cradle with quick adjustment system
- **Chinstrap:** 3 points fire proof chinstrap, with possibility to adjust the angle of the strap for perfect comfort, even when wearing mask. The third point provides increased stability.
- **Mask attachment:** The F1SF helmets features adjustable SCBA mask adapters (KitFix).
- **Built-in interface:** the F1SF includes interfaces for accessories (ex: lamp) on both sides for maximum flexibility.



Connection kit for full face masks



Both sides integrated lamp supports




Ratchet system with quick size adjustment


Standard net cradle



Aluminised Nomex or fire-proof wool neck curtains



MSA GALLET communication systems



Standard cradle version : ajustable headband size



Characteristics

Sizes: 53 to 63 cm with a ratchet cradle
53 to 63 cm with a standard cradle
Weight: 1450 g (± 50 g)
Colors: White, Yellow, red, black, blue, photoluminescent, orange, grey.



Ordering Information

F1SF painted standard helmets EN443 CE

GA2300*⁽¹⁾⁽²⁾ With 9% gold face shield and eye screen, 3 points fire proof chinstrap with automatic buckle.

GA2301*⁽¹⁾⁽²⁾ With 43% gold face shield and eye screen, 3 points fire proof chinstrap with automatic buckle.

GA2302*⁽¹⁾⁽²⁾ With transparent face shield and eye screen, 3 points fire proof chinstrap with automatic buckle.

F1SF painted Ratchet helmets EN443 CE

GA2350*⁽¹⁾⁽²⁾ With 9% gold face shield and eye screen, 3 points fire proof chinstrap with automatic buckle.

GA2351*⁽¹⁾⁽²⁾ With 43% gold face shield and eye screen, 3 points fire proof chinstrap with automatic buckle.

GA2352*⁽¹⁾⁽²⁾ With transparent face shield and eye screen, 3 points fire proof chinstrap with automatic buckle.

F1SF Nickel helmets EN443 CE

GA2400*⁽¹⁾⁽²⁾ Standard cradle, with 9% gold face shield and eye screen, 3 points fire proof chinstrap with automatic buckle

GA2450*⁽¹⁾⁽²⁾ Ratchet cradle, with 9% gold face shield and eye screen, 3 points fire proof chinstrap with automatic buckle

*⁽¹⁾ : Helmets colour references : Nickel= BJ, White=BH, Red=RE, Photoluminescent=VF, Black=NJ, Blue=IT, Yellow=JD, Orange=OB, Grey=NM, Green=VR

*⁽²⁾ : Front plates colour references : Black=16, Nickel=04, Varnished gold=35, Photominescent=32, White=34, Yellow=46, Orange=33, Blue=45, Red=74

Options

Cleaning and Protection

GA1616 Clear pilot screen cleaner for face shield

GA1305 Cleaner Poli F1 for nickel helmet

GA1043 Protective bag for F1 helmet

Customisation

GA1104xx Reflective stickers

Specific front plates: on request

Accessories

GA1109 Aluminized neck curtain for F1SF helmet

GA1111 Woolnomex neckcurtain

GA1105C Helmet cover for training

GA1110 Integral neck curtain for F1SF helmet, fire-proof wool + nomex

GA1457 Lamp XP

GA1466 Lamp XS

GA1464 Lamp XP LED

Communication

GA104xxx L'Com communication system

GA103xxx MICRO communication system

GA102xxx OSTEO communication system

"xx" corresponds to the colour code of reflective stickers and to the types of marking (please contact us).

For more information, please ask for our complete catalogue



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)1245 600560

Fax: +44 (0)1245 600030

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.