Gallet F1 XF Fire Helmet

Your dedication saves lives, MSA protects yours





Gallet history


Established in Paris,	First Aluminium	Invention of Jet style	F2 wildland and	First Composite helmet	First Aviation	MSA acquires	1,000,000th	of the F1
France	helmets	Fire helmet – F1	rescue helmet	for French Army	helmets	CGF Gallet	F1 helmet	over 100,000 F1 sold
			I	I				l
1860	1950	1985	1987	1989	1997	2002	2003	2010








Cairns history







1836	1845	1905	1975	1983	1993	2000	2004	2006
I	I	I		I	I	I	I	I
Established in	First Brass Eagle,	First aluminum helmet:	First modern-style	First high heat,	First NFPA compliant	MSA acquires	Cairns 1044 and 664	First integrated eye
New York City, USA	folding under impact	350 Senator	helmet:	scratch and fog resistant	leather helmet:	Cairns HELMETS	Fire helmets	protection - Defender
			770 Philadelphian	Polyaralyte faceshield	N6A Houston			

lens

Key facts

- Gallet invented the full coverage, jet style helmet concept
- Gallet helmets are the helmet of choice in more than 80 countries around the world
- Every year, over 2000 firefighters are trained for use, care and maintenance of Gallet helmets
- Cairns is the oldest brand in the North American fire service.
- Cairns invented the fire helmet front piece concept for
- Cairns was the first supplier to add impact caps to fire helmets.

Everyday, millions of fire fighters around the world rely on MSA helmets to protect their lives and help them rescue others.

Head Protection expertise

MSA is a strong market leader in Fire and Rescue helmets, thanks to:

- A unique, unmatched product design
- An experienced staff of engineers dedicated to head protection
- State-of-the-art manufacturing facilities using latest technologies
- A "never compromise" approach when it comes to safety and quality
- A customer focused approach to capture key needs and ensure optimal and safe use of products









3









Structural Fire-fighting

High temperatures, low visibility, falling debris, confined spaces and flashover situations make structural firefighting one of the most dangerous and challenging occupations.



Open-space fires involving vehicles, gas or chemicals expose firemen to extreme temperatures, radiant heat, and explosive or caustic materials for long periods of time.

Technical Rescue Operations

Unstable ground, environmental or structural hazards, fire, fatigue and other factors are all potential risks that may be encountered during long-lasting technical rescue operations.

Road Traffic Accident


Emergency Responders to accident scenes are exposed to various hazards (explosion, collapse, projectiles and high noise situations) when rescuing victims needing immediate assistance.

Gallet F1 XF has a rugged design, comfortable fit, and

With its extended coverage, unique radiant heat protection, and superior stability, Gallet F1 XF helps maximize efficiency when gaining ground matters the most.

Gallet F1 XF's superior protective performance and integrated light provide the needed visibility to react quickly when lives are on the line.

The unique design featuring comprehensive head, eye, face and hearing protection, along with integrated lighting and reflective trim, make Gallet F1 XF the ideal solution for vehicle extrication at any time.





















Optimal fit for all users profiles (female, large heads, etc) in all operating conditions

- 1 helmet, 2 sizes
- Medium for 52–62 cm
- Large for and 57–65 cm




Unmatched comfort with no pressure points on the head, and padding designed for ease of care and use

- Padded headband, 2 versions (leather and nomex)
- Removable / Washable paddings
- Wearing height adjustment



Short range, integrated lighting for optimal visibility in dark or smoky environments

- Lightweight, integrated lighting module (LED)
- Battery level indicator
- Over 10 hours of continuous operation



Robust sizing mechanism allowing for user friendly adjustment while on the head

- Ergonomic Wheel ratchet adjustment
- Large knob with easy access
- Multiple size increments



Adjustment of the wearing position for an optimal comfort and balance for all users profiles

- Angular rear and front adjustments for optimal wearing position
- Rear strap setting for enhanced stability
- Bright Yellow color for intuitive adjustments



Adjustable, high performance ocular visor – optimal fit for all faces to prevent injuries

- Ease of manipulation with no interference in the viewing area
- Compatible with corrective spectacles
- Angular adjustment of the ocular visor with adjustable Mechanical stop
- Optical class 1



Gallet F1 XF, developed for **Firefighters with Firefighters**

MSA worked one on one with over 200 firefighters in more than 25 countries at different stages of the product development process:

- Definition of key functions and requirements
- Evaluation of technical concepts and prototypes

• Style and design definition and selection





High performing and comfortable face protection with clear or gold coating

- Unique sliding mechanism to eliminate interferences
- Extended coverage
- Unique field of vision through the face shield



Optimized care and maintenance procedures, reduced cost of ownership and safer use

- Modular design with 2 separate modules
- Shortest full inspection time
- Easy care and component replacement



Optimal retention and stability on the head, with and without breathing apparatus

- Ergonomic 3 points chinstrap, with padded side straps
- Free pivot point accommodate various chin shape and size
- Quick strap adjustment to accommodate face piece



Unmatched thermal and mechanical protection even in extremely hot conditions

- Extended impact liner with Aramide
- Extended side protection for lateral impact protection
- Suspension system for lower force transmission



State-of-the-art integration of helmet mounted headset for easier communication


- Bone conductive headset with self adjustment
- Adjustable neckswan microphone with parking position
- One or two loudspeaker for comfort of



Unique customization capabilities with interchangeable front plate and personnalized badges

- Various front plates colors and designs
- Metal badge with multiple colors
- Logo printing area for tampography identification

Options and Accessories



Ocular Visor

Retractable Eye protection visor with incredible field of vision.

- Unique, dual pivot adjustment system for optimal comfort on all head sizes and face shapes, with two integrated handling areas for easy grip
- Plug and Play concept for quick helmet upgrade or component replacement

Neck curtains

Extension of the helmet protection through ergonomic neck curtains, with unique clicking concept for easy installation and washing.

- Rear coverage models (Aluminized fabric or Nomex)
- Integral, hood type (wool and Nomex)





Integrated lighting module

Unique, fully integrated lighting module, with no extra volume, minimum weight and perfect balance for safe navigation in dark and smoky environments.

- Ergonomic on/off switch and battery level flashing indicator
- ATEX approval, with disposable or rechargeable AAA batteries

Integrated Communication and hearing protection

Integrated communication headsets to connect to long range radios

- Selection of one or two speakers, with or without hearing protection
- Bone conductive version with optimal integration in the headband
- Boom microphone with length adjustment and parking position under the shell
- Push-to-Talk (PTT) Interface for over 100 models of radios
- ATEX approved models for use with ATEX approved long range radios





Other Options and accessories

- Lamp bracket for helmet mounted flashlight attachment
- Customized front plate with metal badge, molded or printed logo

Technical characteristics

Gallet F1 XF Helmet	
Size	Size M: 52–62 cm/Size L: 57–65 cm Head sizes between 58 and 62 should select the best suited size through fitting test
Weight (basic configuration)	Size M – 1450 g (± 30 g)/Size L – 1550 g (± 30 g)
Colours	White, Yellow, Red, Black, Hi-Viz Yellow, Hi-Viz Orange, Grey, Blue, Green, Photoluminescent
Approvals	CE Marking according to EN443:2008 "Helmets for fire-fighting in buildings and other structures" Type B – Full coverage shell Optional requirements: C – Resistance to chemicals/–30 °C (***) – Very low temperatures/3b – Coverage of front area 3b (through face shield)/E2 – Wet helmet insulation/E3 – Surface insulation (depending on front plate model)
Material (shell)	High Temperature Thermoplastic material, injection molded
Material (impact liner)	Shock absorbing polyurethane foam, with over molded aramide reinforcement
Chinstrap	3 points, adjustable chinstrap with release buckle
Interior	Flame resistant, padded headband and chinstrap covers, made of Nomex or Leather
Face Shield	Clear or gold coated face guard visor
Face shield material	Coated thermoplastic material, high temperature performance
Face shield approvals	CE marking according to EN14458 "High performance visors" – Face guard Optional requirements/Use for Fire-fighting/N – Antifog/K – Antiscratch/ Ω – Electrical properties (Surface insulation)


Ocular Visor	
Material	Clear Polycarbonate
Weight	100 g ± 10 g
Approvals	EN14458 – Eyeguard with following optional requirements/K – Antiscratch/ Ω – Electrical properties (Surface insulation)/T – Extreme of Temperatures (–30 °/+120 °C)/UV Filter to EN170 (2–1.2)

Neck curtains	
Material	Aluminized fabric, Impregnated nomex or wool/nomex complex
Weight	90 g (neck only) to 150 g (integral)
Approvals	Tested to radiant heat, flame engulfment, molten metals and chemical splashes (EN443:2008 – area 3a)

Integrated lighting module				
Weight	100 g ± 10 g			
Light source	4 white LEDs with optimal short range coverage			
Batteries	3x AAA batteries (disposable or rechargeable)			
Approvals	CE marking with ATEX approval (Gas and Dust)/2G Ga Ex ia IIC T4/T3 – 2D Da Ex iaD 20 IP56			

Product References

Gallet F1 XF uses a configurable part numbering system for an optimal selection of the best suited configuration.



11



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.

UK Office Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)330 088 0560

Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.