

MSA

TURBO-FLO

BREATHING APPARATUS



- The Turbo-Flo is an assisted fresh air breathing apparatus approved to EN138.
- Turbo-Flo provides assisted breathing for one or two men over 54m distance.
- Options are available for operation from 240V AC, 110V AC or 12V DC power supply.
- Turbo-Flo is robust, weatherproof (IP54) and reliable, ensuring breathing safety and comfort at all times.



Turbo-Flo

RESPIRATORY PROTECTION - AIR SUPPLIED

User Benefits

Assisted breathing prevents user fatigue, and a built-in overflow valve provides a balanced flow preventing discomfort to the eyes.

Twin breathing hose means that the user can use tools/shovels etc., without impedance.

Simple

Fresh air is blown along supply hose to one or two users as required, with varying supply lengths from 9-54 metres each.

Approved for use without blower with up to 18m of supply hose.

Automatic Regulation

Air flow greater than 120l/min is available to the user on "1 Man" selection and at "Min Flow" setting.

The user can then increase the airflow if desired.

When a second user connects to the Turbo-Flo Blower the "2 Man" position is selected and this automatically ensures flows greater than 20 l/min for each user. Again the airflow can be increased from the "Min Flow" setting is required.

Approval

Turbo-Flo is fully approved to EN 138 as an unassisted/assisted fresh air breathing apparatus.



Turbo-Flo Fresh Air Breathing Apparatus

Low Maintenance

Simple, easy and inexpensive maintenance. A well proven, long life motor ensures reliable operation, this results in low maintenance costs.

Reliable Construction

Robust design to withstand the rigours of rough usage. Approved to IP 54.

Turbo-Flo Blower

Highly portable:
Dimensions: 28cm x 24cm x 24cm
Weight: 5.5kg
Three options available:
240V AC, 110V AC, 12V DC.



Turbo-Flo Blower

Ordering Information

PART NO	DESCRIPTION
1260006	Fresh Air B.A. c/w 3S Full Facepiece, Twin Breathing tube, Waistbelt assembly and 9 metre hose c/w couplings.
<u>Accessories</u>	
1260009	Turbo-Flo Blower 240V
1260010	Turbo-Flo Blower 12V DC
1260011	Turbo-Flo Blower 110V
1260015	Spike & Clip
1260016	End Filter
1260021	Storage Case for Fresh Air BA
1260018	18 metre Hose c/w couplings
1266000	Hose Connector

Easy Storage

The Turbo-Flo Blower can be stored together with the 9 metre supply hose in the storage case. This minimises space requirements and fully protects the equipment between use.



MSA (Britain) Ltd





Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)1245 600560

Fax: +44 (0)1245 600030

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.