maintenance-free single-gas detectors



The most reliable way to keep your workers safe and your operations compliant

Easy gas identification with color coded labels and LCD indication:

H_oS

CO

0,

SO



maintenance-free single-gas detectors

The **best maintenance-free** detector series yet – from the most **trusted** experts

in gas detection

When you turn on a gas detector from Honeywell Analytics, you're activating years of continuous protection. Every second of the day, our gas detectors are monitoring for the presence of potentially harmful or explosive gases that you can't see — alerting you to danger so you can take the right action.

And when it comes to protecting your workers and facilities, Honeywell Analytics pioneered the concept of the maintenance-free single-gas portable detector, giving you an easy, cost-effective, reliable way to ensure safety and compliance.

With one of our portable gas detectors as your constant companion, gas hazards are one less thing to worry about. Because you can rely on Honeywell to protect your workers — and your operations — 24/7.





Now, with the **BW Clip Series**, your **day-to-day companion** is **more reliable** than ever.

The BW Clip Series of single-gas maintenance-free detectors are available in the following versions:

- BW Clip provides standard life remaining display, calibration not required.
- BW Clip Real Time includes a real-time gas level display and the ability to calibrate the device.

Both are available in the following variants:

• Two-year: H₂S, CO, O₂ and SO₂

Three-year: H₂S and CO

Up to three years maintenance-free. Just turn on the detector and it runs continuously — no need for sensor and battery replacement or battery charging. That means great reliability and no downtime.

BW Clip Real Time provides realtime readings of atmospheric gas concentration levels, giving users instant visibility of the gas readings and ppm levels, even when not in alarm conditions.

Compatibility with current docking stations. For automated bump testing and fleet management, the BW Clip Series is compatible with the MicroDock II docking station and Fleet Manager II software.

H2S

H2S

The most user-friendly experience. With one-button operation, the BW Clip Series is compact, lightweight and easy to handle, while tough enough for harsh environments and extreme temperatures. And if there's an alarm, you'll know it — even in noisy conditions — thanks to the wide-angle flash, along with the audible and vibrating alerts.

Automated self-test for improved safety. With the BW Clip Series, there's no need to perform a manual self-test to check the detector's battery, sensor and electronics. Instead, a daily self-test happens automatically. If it finds an issue in critical functionality, it will shut down the detector to protect you from unsafe use.

Easy gas identification with color coded labels and LCD indication:

H_aS

CO

0,

SO

maintenance-free single-gas detectors

Get even **more value** from the BW Clip Series— with the **IntelliDoX** instrument management system

IntelliDoX combines smart docking modules with our Fleet Manager II software to provide automated testing and record-keeping for all BW Clip detectors.

Simply place the detector in the docking module, and it automatically tests the gas detector and sensors. Then use either USB or Ethernet to transfer bump tests, gas exposure events and more to your computer, where you can use the software to analyze the data, track compliance and configure the detectors.



Change alarm set points and more — with a new level of customization for maintenance-free detectors



with IntelliDoX, the BW Clip Series are the most flexible and configurable

detectors available.

The system delivers:

The quickest bump test in the industry. Bump five detectors in less

than a minute — or 50 in fewer than three minutes — with no wasted calibration gas. That means no more bottlenecks from workers lining up to bump their detectors.

Efficient networking and data transfer for easy record-keeping.

Are workers bump testing at the right frequency? If a detector had a

gas exposure, would you know about it? Can you produce the compliance reports you need during a regulatory audit? Use

IntelliDoX to easily transfer the 35 most recent gas events and bump tests for each detector to your computer.

Flexible configuration to adapt to changing requirements. Just because

the BW Clip Series are maintenancefree devices doesn't mean you cannot
customize them to meet changing safety
policies or regulations. Want to adjust
the high and low alarm set points? Email a
bump-test reminder to workers? Set detectors
to show the gas reading during alarm? Do all
this and more to improve safety and productivity.

Quick and easy setup — great for turnarounds. IntelliDoX is easy to install,

taking under two minutes to set up a five-module system and bump your first detector — with no tools required. To connect a module to the computers on your network, all you need is an Ethernet cable and an IP address. You can also set up without a network: just use a USB drive to load the settings for your detectors.

maintenance-free single-gas detectors

Flexible instrument testing for maximum productivity

Unique design for unmatched speed and flexibility

The IntelliDoX system is expandable to five docking modules helping you drive productivity, reliability and efficiency.

- Provides a new level of customization for bump testing, configuration and record-keeping in a maintenance-free detector
- Configure alarm set points and change settings throughout the operation life of the detector
- Quick and easy setup great for turnarounds
- Each module has its own easy-to-read LCD screen and keypad for independent operation

Thanks to this design, you can perform different activities for multiple detectors — all at the same time. Want to bump test detectors? Calibrate detectors? Reconfigure settings on another group of detectors? Put others into hibernation? You can do all of these tasks concurrently, so you get more done in less time.



Perform different activities for multiple detectors – all at the same time

Hibernation:

get the most life for the price

When you use the two-year versions for H₂S or CO, you can hibernate the detector when you're not using it for a week or more — and extend its life by that period of time, for up to a year.

Holding a supply of detectors for a plant turnaround? Facing a few months between projects? Have workers going on leave?

Hibernate each detector to preserve its life, and you can spread your detector's 24 months of operation over up to three years instead of the standard two.











Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.

∷ UK Office Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)330 088 0560 Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.