



TAKE A DEEP BREATH.
DRÄGER X-PLORE® 1300

DETECTION
PERSONAL PROTECTION
DIVING TECHNOLOGY
SYSTEM TECHNOLOGY
SERVICES

Drägersafety

Dräger X-plore® 1300, The ideal combination: safety and comfort.



THE DRÄGER X-PLORE® 1300 – DEVELOPED ON THE BASIS OF MARKET DEMANDS AND CUSTOMER REQUIREMENTS – SETS NEW STANDARDS ON COMFORT LEVELS FOR FILTERING FACEPIECE RESPIRATORS. THE RESULT: AN EXTREMELY COMFORTABLE, PRE-FORMED DUST MASK FOR PROTECTION AGAINST SOLID AND LIQUID PARTICLES. ITS EFFICIENT FILTER MATERIAL AND ERGONOMIC DESIGN MAKE THE DRÄGER X-PLORE® 1300 A DISPOSABLE DUST MASK WITH MAXIMUM COMFORT, SAFETY AND USER ACCEPTANCE.

Comfort nose pad:

The ergonomic shape and the comfort nose pad provides additional sealing protection for various facial shapes. The Dräger X-plore® 1360 offers even more comfort and safety with its extra wide nose sealing pad.

Comfort valve:

The optional climate control comfort valve reduces breathing resistance and heat build-up inside the mask.

Advanced filter media:

The multi-layer high-performance filter material, available in two protective levels offers a superior level of filtration efficiency. Additionally, available is an Odor Control version to filter out nuisance organic vapor odors.



Highly elastic textile harness:

The highly elastic continuous loop textile harness enables easy donning and doffing without pulling on his/her hair. All variations offer a unique strap tension adjuster to allow the user to comfortably secure the mask against their face.

Plastic coated nose clip:

Fits and seals securely – plastic coating eliminates sharp edges.

Color coding:

Nose clip and comfort exhalation valve are color coded according to the protection class.

Size:

All variations of the Dräger X-plore® 1300 are available in two sizes, S/M and M/L.



Your benefits:

- High level of wearer comfort through ergonomic shape and advanced filter media.
- Safety according to your needs: A color coded selection of protection levels and design variations, makes it easy to distinguish between protection classes.
- Ergonomic design allows the mask to fit well with safety glasses and goggles. A special seal in the area of the nose helps prevent fogging.
- Versions with an integrated Odor Control layer keep nuisance OV odors out.
- Integrated strap tension adjuster to allow the wearer to fine tune the mask to the proper comfort.
- A sure fit, for the most demanding conditions - the Dräger X-plore 1300® is available in two sizes (S/M and M/L).

ORDERING INFORMATION

| Protection Class | Size | Pcs./Box | Order No. |
|---|------|----------|-----------|
| Dräger X-plore® 1350 N95 | S/M | 20 | 3951220 |
| Dräger X-plore® 1350 N95 | M/L | 20 | 3951230 |
| Dräger X-plore® 1350 N95 V | S/M | 10 | 3951221 |
| Dräger X-plore® 1350 N95 V | M/L | 10 | 3951231 |
| Dräger X-plore® 1360 R95 | S/M | 20 | 3951225 |
| Dräger X-plore® 1360 R95 | M/L | 20 | 3951235 |
| Dräger X-plore® 1360 R95 V | S/M | 10 | 3951226 |
| Dräger X-plore® 1360 R95 V | M/L | 10 | 3951236 |
| Dräger X-plore® 1350 N95 V OV Odor ¹ | S/M | 10 | 3951222 |
| Dräger X-plore® 1350 N95 V OV Odor ¹ | M/L | 10 | 3951232 |

¹Additionally against nuisance odors below permissible exposure limit (PEL)

ST-721-2006



Dräger X-plore® 1350 N95 S/M
Dräger X-plore® 1350 N95 M/L

ST-724-2006



Dräger X-plore® 1350 N95 V S/M
Dräger X-plore® 1350 N95 V M/L

ST-723-2006



Dräger X-plore® 1360 R95 S/M
Dräger X-plore® 1360 R95 M/L

ST-722-2006



Dräger X-plore® 1360 R95 V S/M
Dräger X-plore® 1360 R95 V M/L

ST-726-2006



Dräger X-plore® 1350 N95 V OV Odor S/M
Dräger X-plore® 1350 N95 V OV Odor M/L

TECHNICAL DATA

| | |
|-----------------------------|---------------------------|
| Head harness | Synthetic elastics |
| Nosepiece | Plastic-coated metal wire |
| Filter media | Synthetic filter media |
| Exhalation valve (V-models) | Polyamid/Rubber |
| Approvals | NIOSH |





Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)330 088 0560

Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.